

**AlphaPlus® 1-Hexene (C6H12)**

Version 5.0

Revision Date 2018-10-01

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product information**

Product Name : AlphaPlus® 1-Hexene (C6H12)
Material : 10576539

Company : Qatar Chemical Company LTD (QChem)
Amwal Tower, Omar Al Mukhtar St,
Al-Dafna (Zone 61)
PO Box 24646
Doha, Qatar

SDS Requests: (+974) 4484-7110
Technical Information: (+974) 4477-0047
Responsible Party: Product Safety Group
Email: MSDSInquiry@qchem.com.qa

Emergency telephone:**Health:**

866.442.9628 (North America)
1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)
Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090
EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
Mexico CHEMTREC 01-800-681-9531 (24 hours)
South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600
Argentina: +(54)-1159839431

Responsible Department : Product Safety and Toxicology Group
E-mail address : SDS@CPChem.com
Website : www.CPChem.com

SECTION 2: Hazards identification**Classification of the substance or mixture**

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

Classification



: Flammable liquids, Category 2
Reproductive toxicity, Category 2
Aspiration hazard, Category 1

Labeling

AlphaPlus® 1-Hexene (C6H12)

Version 5.0

Revision Date 2018-10-01

Symbol(s) :  

Signal Word : Danger

Hazard Statements : H225: Highly flammable liquid and vapor.
H304: May be fatal if swallowed and enters airways.
H361: Suspected of damaging fertility or the unborn child.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P331 Do NOT induce vomiting.
P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
Storage:
P403 + P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Carcinogenicity:**IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 3: Composition/information on ingredients

Synonyms : alpha-Hexene
Hexene-1
Hex-1-ene
Hexylene

AlphaPlus® 1-Hexene (C₆H₁₂)

Version 5.0

Revision Date 2018-10-01

NAO 6
Butyl Ethylene
C₆H₁₂

Molecular formula : C₆H₁₂

Component	CAS-No.	Weight %
1-Hexene	592-41-6	99 - 100
2-Ethyl-1-Butene	760-21-4	0 - 1
n-hexane	110-54-3	0 - 0.3

SECTION 4: First aid measures

General advice : Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Material may produce a serious, potentially fatal pneumonia if swallowed or vomited.

If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

SECTION 5: Firefighting measures

Flash point : -26 °C (-15 °F)
Method: closed cup

Autoignition temperature : 272 °C (522 °F)

Suitable extinguishing media : Alcohol-resistant foam. Carbon dioxide (CO₂). Dry chemical.

Unsuitable extinguishing media : High volume water jet.

Specific hazards during fire fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored separately in closed

AlphaPlus® 1-Hexene (C6H12)

Version 5.0

Revision Date 2018-10-01

- containments. Use a water spray to cool fully closed containers.
- Fire and explosion protection : Do not spray on an open flame or any other incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

SECTION 6: Accidental release measures

- Personal precautions : Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.
- Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods for cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7: Handling and storage**Handling**

- Advice on safe handling : Avoid formation of aerosol. Do not breathe vapors/dust. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Container may be opened only under exhaust ventilation hood. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations.
- Advice on protection against fire and explosion : Do not spray on an open flame or any other incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

Storage

- Requirements for storage areas and containers : No smoking. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

AlphaPlus® 1-Hexene (C6H12)

Version 5.0

Revision Date 2018-10-01

SECTION 8: Exposure controls/personal protection**Biological exposure indices**

US

Substance name	CAS-No.	Control parameters	Sampling time	Update
n-hexane	110-54-3	2,5-Hexanedione: 0.4 mg/l (Urine)	End of shift at end of workweek	2007-01-01

Engineering measures

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits. Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

- Respiratory protection : Wear a supplied-air NIOSH approved respirator unless ventilation or other engineering controls are adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure. Wear a NIOSH approved respirator that provides protection when working with this material if exposure to harmful levels of airborne material may occur, such as: Air-Purifying Respirator for Organic Vapors. Use a positive pressure, air-supplying respirator if there is potential for uncontrolled release, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.
- Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. Wear as appropriate: Flame retardant antistatic protective clothing. Workers should wear antistatic footwear.
- Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties****Appearance**

AlphaPlus® 1-Hexene (C6H12)

Version 5.0

Revision Date 2018-10-01

Form : Liquid
Physical state : Liquid
Color : Clear, colorless

Safety data

Flash point : -26 °C (-15 °F)
Method: closed cup

Lower explosion limit : 2 %(V)

Upper explosion limit : 7 %(V)

Oxidizing properties : no

Autoignition temperature : 272 °C (522 °F)

Thermal decomposition : No data available

Molecular formula : C6H12

Molecular weight : 84.18 g/mol

pH : Not applicable

Pour point : No data available

Boiling point/boiling range : 63.5 °C (146.3 °F)

Vapor pressure : 176.00 MMHG
at 24 °C (75 °F)

106.30 kPa
at 65 °C (149 °F)

Relative density : 0.68
at 15 °C (59 °F)

Density : 645 kg/m³
at 50 °C (122 °F)

678 kg/m³
at 15 °C (59 °F)

674 g/cm³
at 20 °C (68 °F)

Water solubility : 47 MG/L
at 20 °C (68 °F)
slightly soluble

Partition coefficient: n-
octanol/water : log Pow: 3.87

Viscosity, kinematic : 0.34 cSt
at 40 °C (104 °F)

Relative vapor density : 2.9

AlphaPlus® 1-Hexene (C6H12)

Version 5.0

Revision Date 2018-10-01

(Air = 1.0)

Evaporation rate	: No data available
Percent volatile	: > 99 %
Conductivity	: 4.1 pSm Method: ASTM D4308

SECTION 10: Stability and reactivity

Chemical stability : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

Possibility of hazardous reactions

Hazardous reactions : Further information: No decomposition if stored and applied as directed.

Hazardous reactions: Vapors may form explosive mixture with air.

Conditions to avoid : Heat, flames and sparks.

Thermal decomposition : No data available

Other data : No decomposition if stored and applied as directed.

SECTION 11: Toxicological information**Acute oral toxicity**

1-Hexene : LD50: > 5,600 mg/kg
Species: Rat
Sex: male and female
Method: Fixed Dose Method

n-hexane : LD50: 16 g/kg
Species: Rat
Sex: male and female

Acute inhalation toxicity

1-Hexene : LC50: 110.1 mg/l
Exposure time: 4 h
Species: Rat
Sex: male
Test atmosphere: vapor
Method: OECD Test Guideline 403

n-hexane : LC50: 73860 ppm

AlphaPlus® 1-Hexene (C6H12)

Version 5.0

Revision Date 2018-10-01

Exposure time: 4 h
 Species: Rat
 Sex: male
 Test atmosphere: vapor
 Method: OECD Test Guideline 403
 Information given is based on data obtained from similar substances.

AlphaPlus® 1-Hexene (C6H12)

Acute dermal toxicity : Acute toxicity estimate: 2,500 mg/kg
 Method: Calculation method

AlphaPlus® 1-Hexene (C6H12)

Skin irritation : No skin irritation. Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in desiccation of the skin.

AlphaPlus® 1-Hexene (C6H12)

Eye irritation : No eye irritation.

AlphaPlus® 1-Hexene (C6H12)

Sensitization : Did not cause sensitization on laboratory animals. Information refers to the main ingredient.

Repeated dose toxicity

1-Hexene : Species: Rat, male
 Sex: male
 Application Route: oral gavage
 Dose: 0, 10, 101, 1010, 3365 mg/kg
 Exposure time: 28 day
 Number of exposures: daily
 NOEL: 101 mg/kg
 Lowest observable effect level: 1,010 mg/kg
 Test substance: yes
 Method: OECD Test Guideline 407

Species: Rat, female
 Sex: female
 Application Route: oral gavage
 Dose: 0, 10, 101, 1010, 3365 mg/kg
 Exposure time: 28 day
 Number of exposures: daily
 NOEL: 1,010 mg/kg
 Lowest observable effect level: 3,365 mg/kg
 Test substance: yes
 Method: OECD Test Guideline 407

Species: Rat
 Application Route: Inhalation
 Dose: 0, 300, 1000, 3000 ppm
 Exposure time: 90 day
 Number of exposures: 6 h/d, 5 d/wk, 13 wk
 NOEL: 3000 ppm
 Test substance: yes

n-hexane

Species: Rat, male
 Sex: male

AlphaPlus® 1-Hexene (C6H12)

Version 5.0

Revision Date 2018-10-01

Application Route: Inhalation
 Dose: 3,000 ppm
 Exposure time: 16 wks
 Number of exposures: 12 h/d
 Lowest observable effect level: 3,000 ppm
 Target Organs: Peripheral nervous system

Species: Mouse, female
 Sex: female
 Application Route: Inhalation
 Dose: 500, 1,000, 4,000, 10,000 ppm
 Exposure time: 13 wks
 Number of exposures: 6h or 22h (1,000 ppm)/ 5d/wk
 Lowest observable effect level: 500 ppm
 Target Organs: Nose

Species: Mouse, male
 Sex: male
 Application Route: Inhalation
 Dose: 500, 1,000, 4000, 10,000 ppm
 Exposure time: 13 wks
 Number of exposures: 6h or 22h (1,000 ppm)/d, 5d/wk
 NOEL: 500 ppm
 Lowest observable effect level: 1,000 ppm
 Target Organs: Nose

Species: Rat, male
 Sex: male
 Application Route: oral gavage
 Dose: 568, 1,135, 3,973 mg/kg bw/day
 Exposure time: 90 or 120 days
 Number of exposures: Daily or 5d/wk (120-d study)
 NOEL: 568 mg/kg bw/day
 Lowest observable effect level: 1135 mg/kg bw/day

Genotoxicity in vitro

1-Hexene

: Test Type: Ames test
 Metabolic activation: with and without metabolic activation
 Method: Mutagenicity (Escherichia coli - reverse mutation assay)
 Result: negative

Test Type: Unscheduled DNA synthesis assay
 Result: negative

Test Type: Mouse lymphoma assay
 Result: negative

Test Type: Chromosome aberration test in vitro
 Method: OECD Guideline 473
 Result: negative

n-hexane

Test Type: Ames test
 Metabolic activation: with and without metabolic activation
 Result: negative

AlphaPlus® 1-Hexene (C6H12)

Version 5.0

Revision Date 2018-10-01

Test Type: Mouse lymphoma assay
 Metabolic activation: with and without metabolic activation
 Result: negative

Test Type: Mouse lymphoma assay
 Metabolic activation: with and without metabolic activation
 Result: Positive results were obtained in some in vitro tests.

Genotoxicity in vivo

1-Hexene : Test Type: Mouse micronucleus assay
 Species: Mouse
 Method: Mutagenicity (micronucleus test)
 Result: negative

n-hexane Test Type: Dominant lethal assay
 Species: Mouse
 Dose: 100 and 400 ppm
 Result: negative

Test Type: Cytogenetic assay
 Species: Rat
 Dose: 900, 3000, 9000 ppm
 Result: negative

Carcinogenicity

n-hexane : Species: Rat
 Dose: 0.043, 900, 3,000, 9,016 ppm
 Exposure time: 2 yrs
 Number of exposures: 6 h/d, 5 d/wk
 Remarks: No evidence of carcinogenicity, Information given is based on data obtained from similar substances.

Species: Mouse
 Sex: male and female
 Dose: 0.039, 900, 3,000, 9,018 ppm
 Exposure time: 2 yrs
 Number of exposures: 6 h/d, 5 d/wk
 Remarks: No evidence of carcinogenicity, Information given is based on data obtained from similar substances.

Reproductive toxicity

1-Hexene : Species: Rat
 Sex: males
 Application Route: oral gavage
 Dose: 0, 100, 500, 1000 mg/kg
 Number of exposures: daily
 Test period: 44 d
 Test substance: yes
 Method: OECD Guideline 421
 NOAEL Parent: 1,000 mg/kg
 NOAEL F1: 1,000 mg/kg

AlphaPlus® 1-Hexene (C6H12)

Version 5.0

Revision Date 2018-10-01

Species: Rat
 Sex: females
 Application Route: oral gavage
 Dose: 0, 100, 500, 1000 mg/kg
 Number of exposures: daily
 Test period: 41-51 d
 Test substance: yes
 Method: OECD Guideline 421
 NOAEL Parent: 1,000 mg/kg
 NOAEL F1: 1,000 mg/kg

n-hexane

Species: Rat
 Sex: male
 Application Route: Inhalation
 Dose: 5,000 ppm
 Number of exposures: 16 hr/d, 6 d/wk
 Test period: 6 wks
 permanent testicular damage characterized by loss of germ-cell line

Developmental Toxicity

n-hexane

: Species: Rat
 Application Route: Inhalation
 Dose: 200, 1,000, 5,000 ppm
 Number of exposures: 20 hr/d, daily
 Test period: GD 6-20
 NOAEL Teratogenicity: 200 ppm
 NOAEL Maternal: 200 ppm

Species: Mouse
 Application Route: Inhalation
 Dose: 200, 1,000, 5,000 ppm
 Number of exposures: 20 hr/d, daily
 Test period: GD 6-17
 NOAEL Maternal: 1,000 ppm

AlphaPlus® 1-Hexene (C6H12)**Aspiration toxicity**

: May be fatal if swallowed and enters airways.

CMR effects

1-Hexene

: Carcinogenicity: Not available
 Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
 Teratogenicity: Animal testing did not show any effects on fetal development.
 Reproductive toxicity: Animal testing did not show any effects on fertility.

n-hexane

Carcinogenicity: Not classifiable as a human carcinogen.
 Mutagenicity: Did not show mutagenic effects in animal experiments.
 Teratogenicity: Animal testing did not show any effects on fetal development.
 Reproductive toxicity: Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

AlphaPlus® 1-Hexene (C6H12)

Version 5.0

Revision Date 2018-10-01

AlphaPlus® 1-Hexene (C6H12)**Further information** : Solvents may degrease the skin.**SECTION 12: Ecological information****Toxicity to fish**

1-Hexene : LC50: 5.6 mg/l
 Exposure time: 96 h
 Species: Oncorhynchus mykiss (rainbow trout)
 semi-static test Test substance: yes
 Method: OECD Test Guideline 203

n-hexane LL50: 12.51 mg/l
 Exposure time: 96 h
 Species: Oncorhynchus mykiss (rainbow trout)
 Method: QSAR modeled data

Toxicity to daphnia and other aquatic invertebrates

1-Hexene : EC50: 4.4 mg/l
 Exposure time: 48 h
 Species: Daphnia magna (Water flea)
 static test Test substance: no
 Method: OECD Test Guideline 202
 Information given is based on data obtained from similar substances.

n-hexane EL50: 21.85 mg/l
 Exposure time: 48 h
 Species: Daphnia magna (Water flea)
 Method: QSAR modeled data

Toxicity to algae

1-Hexene : NOEC: 1.8 mg/l
 Exposure time: 96 h
 Species: Pseudokirchneriella subcapitata (green algae)
 Growth inhibition Method: OECD Test Guideline 201
 Information given is based on data obtained from similar substances.

EC50: > 5.5 mg/l
 Exposure time: 96 h
 Species: Pseudokirchneriella subcapitata (green algae)
 Growth inhibition Method: OECD Test Guideline 201
 Information given is based on data obtained from similar substances.

n-hexane EL50: 9.29 mg/l
 Exposure time: 72 h
 Species: Pseudokirchneriella subcapitata (green algae)
 Method: QSAR modeled data

AlphaPlus® 1-Hexene (C6H12)

Version 5.0

Revision Date 2018-10-01

Biodegradability

1-Hexene : 67 - 98 %
 Testing period: 28 d
 Test substance: yes
 According to the results of tests of biodegradability this product is considered as being readily biodegradable.

n-hexane : This material is expected to be readily biodegradable.

Bioaccumulation

1-Hexene : This material is not expected to bioaccumulate.

n-hexane : Bioconcentration factor (BCF): 501
 Does not significantly accumulate in organisms.

Results of PBT assessment

1-Hexene : Non-classified PBT substance, Non-classified vPvB substance

n-hexane : Non-classified vPvB substance, Non-classified PBT substance

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life.

Ecotoxicology Assessment**Short-term (acute) aquatic hazard**

1-Hexene : Toxic to aquatic life.

n-hexane : Toxic to aquatic life.

Long-term (chronic) aquatic hazard

1-Hexene : No data available

n-hexane : Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product.

AlphaPlus® 1-Hexene (C6H12)

Version 5.0

Revision Date 2018-10-01

Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

UN2370, 1-HEXENE, 3, II

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

UN2370, 1-HEXENE, 3, II, (-26 °C)

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

UN2370, 1-HEXENE, 3, II

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

UN2370, 1-HEXENE, 3, II, (D/E)

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

UN2370, 1-HEXENE, 3, II

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

UN2370, 1-HEXENE, 3, II

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information**National legislation**

SARA 311/312 Hazards : Flammable (gases, aerosols, liquids, or solids)
Reproductive toxicity
Aspiration hazard

CERCLA Reportable : Calculated RQ exceeds reasonably attainable upper limit.

AlphaPlus® 1-Hexene (C6H12)

Version 5.0

Revision Date 2018-10-01

Quantity
n-hexane

SARA 302 Reportable Quantity : This material does not contain any components with a SARA 302 RQ.

SARA 302 Threshold Planning Quantity : This material does not contain any components with a section 302 EHS TPQ.

SARA 304 Reportable Quantity : This material does not contain any components with a section 304 EHS RQ.

SARA 313 Components : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

Ozone-Depletion Potential : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

US State Regulations

Pennsylvania Right To Know
: 1-Hexene - 592-41-6
2-Ethyl-1-Butene - 760-21-4

AlphaPlus® 1-Hexene (C6H12)

Version 5.0

Revision Date 2018-10-01

California Prop. 65 Components : WARNING This product can expose you to chemicals including [listed below], which is [are] known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

n-hexane


110-54-3

Notification status

Europe REACH : On the inventory, or in compliance with the inventory
 United States of America (USA) TSCA : On the inventory, or in compliance with the inventory
 Canada DSL : All components of this product are on the Canadian DSL
 Australia AICS : On the inventory, or in compliance with the inventory
 New Zealand NZIoC : On the inventory, or in compliance with the inventory
 Japan ENCS : On the inventory, or in compliance with the inventory
 Korea KECI : On the inventory, or in compliance with the inventory
 Philippines PICCS : On the inventory, or in compliance with the inventory

SECTION 16: Other information

NFPA Classification : Health Hazard: 1
 Fire Hazard: 3
 Reactivity Hazard: 0

**Further information**

Legacy SDS Number : QCHEM009

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health

AlphaPlus® 1-Hexene (C6H12)

Version 5.0

Revision Date 2018-10-01

CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		