



AlphaPlus® C14-16-18 Blend

Version 1.5

Revision Date 2017-06-23

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product information

Product Name : AlphaPlus® C14-16-18 Blend

EC-No.Registration number

Chemical name	CAS-No. EC-No. Index No.	Legal Entity Registration number
1-Tetradecene	1120-36-1 214-306-9	Qatar Chemical Company LTD (Q-Chem) 01-2119472424-39-0004
1-Hexadecene	629-73-2 211-105-8	Qatar Chemical Company LTD (Q-Chem) 01-2119474686-23-0003
1-Octadecene	112-88-9 204-012-9	Qatar Chemical Company LTD (Q-Chem) 01-2119474213-44-0002

Company : Qatar Chemical Company LTD (QChem)
Amwal Tower, Omar Al Mukhtar St,
Al-Dafna (Zone 61)
PO Box 24646
Doha, Qatar

SDS Requests: (+974) 4484-7110
Technical Information: (+974) 4477-0047
Responsible Party: Product Safety Group
Email: MSDSInquiry@qchem.com.qa

Local : Muntajat B.V. (MBV OR)
19th Floor, Tower E, WTC The Hague
Prinses Margrietplantsoen 78-A, 2595 BR
The Hague, the Netherlands.

Emergency telephone:

Health:

866.442.9628 (North America)

1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090

EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)

Mexico CHEMTREC 01-800-681-9531 (24 hours)

South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600

Argentina: +(54)-1159839431

AlphaPlus® C14-16-18 Blend

Version 1.5


Revision Date 2017-06-23

Responsible Department : Product Safety and Toxicology Group
 E-mail address : SDS@CPChem.com
 Website : www.CPChem.com

SECTION 2: Hazards identification
**Classification of the substance or mixture
 REGULATION (EC) No 1272/2008**

Aspiration hazard, Category 1 H304:
 May be fatal if swallowed and enters airways.

Label elements**Labeling (REGULATION (EC) No 1272/2008)**

Hazard pictograms : 

Signal Word : Danger

Hazard Statements : H304 May be fatal if swallowed and enters airways.

Precautionary Statements : **Response:**
 P301 + P310 IF SWALLOWED: Immediately call a
 POISON CENTER/doctor.
 Do NOT induce vomiting.
P331
 Do NOT induce vomiting.
Storage:
 P405 Store locked up.
Disposal:
 P501 Dispose of contents/ container to an
 approved waste disposal plant.

Hazardous ingredients which must be listed on the label:

- 1120-36-1 1-Tetradecene

SECTION 3: Composition/information on ingredients

Molecular formula : Mixture

Mixtures**Hazardous ingredients**

Chemical name	CAS-No. EC-No. Index No.	Classification (REGULATION (EC) No 1272/2008)	Concentration [wt%]
1-Tetradecene	1120-36-1 214-306-9	Asp. Tox. 1; H304	15 - 60
1-Hexadecene	629-73-2	Asp. Tox. 1; H304	20 - 50

AlphaPlus® C14-16-18 Blend

Version 1.5

Revision Date 2017-06-23

	211-105-8		
1-Octadecene	112-88-9 204-012-9	Asp. Tox. 1; H304	10 - 40

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

- General advice : Move out of dangerous area. Show this material safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later. Do not leave the victim unattended.
- If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
- In case of eye contact : Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

SECTION 5: Firefighting measures

- Flash point : 124 °C (255 °F)
Method: Cleveland Open Cup
- Autoignition temperature : 228 °C (442 °F)
- Unsuitable extinguishing media : High volume water jet.
- Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.
- Further information : Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Fire and explosion protection : Normal measures for preventive fire protection.
- Hazardous decomposition products : Carbon Dioxide. Carbon oxides.

SECTION 6: Accidental release measures

- Personal precautions : Use personal protective equipment. Ensure adequate ventilation.

AlphaPlus® C14-16-18 Blend

Version 1.5

Revision Date 2017-06-23

- Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7: Handling and storage**Handling**

- Advice on safe handling : Do not breathe vapors/dust. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Storage

- Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.

SECTION 8: Exposure controls/personal protection**Personal protective equipment**

- Respiratory protection : Suitable respiratory equipment:.
- Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Eye protection : Eye wash bottle with pure water. Tightly fitting safety goggles.
- Skin and body protection : Impervious clothing. Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Hygiene measures : When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties****Appearance**

- Form : Liquid
- Physical state : Liquid
- Color : Colorless
- Odor : Odorless

AlphaPlus® C14-16-18 Blend

Version 1.5

Revision Date 2017-06-23

Safety data

Flash point	: 124 °C (255 °F) Method: Cleveland Open Cup
Lower explosion limit	: 0,5 %(V)
Upper explosion limit	: 5,9 %(V)
Oxidizing properties	: no
Autoignition temperature	: 228 °C (442 °F)
Molecular formula	: Mixture
Molecular weight	: Not applicable
pH	: Not applicable
Freezing point	: 15 °C (59 °F)
Boiling point/boiling range	: > 250 °C (> 482 °F)
Vapor pressure	: < 0,01 MMHG at 20 °C (68 °F)
Relative density	: 0,77 at 25 °C (77 °F)
Water solubility	: Soluble in hydrocarbon solvents; insoluble in water.
Viscosity, kinematic	: 2 - 3 cSt at 40 °C (104 °F)
Relative vapor density	: 7,7 (Air = 1.0)

SECTION 10: Stability and reactivity

Chemical stability	: This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.
--------------------	--

Possibility of hazardous reactions

Conditions to avoid	: No data available.
Materials to avoid	: May react with oxygen and strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.
Hazardous decomposition products	: Carbon Dioxide Carbon oxides

AlphaPlus® C14-16-18 Blend

Version 1.5

Revision Date 2017-06-23

Other data : No decomposition if stored and applied as directed.

SECTION 11: Toxicological information**Acute oral toxicity**

1-Hexadecene : LD50: 10 g/kg
 Species: Rat
 Sex: male and female
 Method: OECD Test Guideline 401
 Test substance: yes

1-Octadecene LD50: > 10.000 mg/kg
 Species: Rat
 Sex: male and female
 Method: OECD Test Guideline 401
 Test substance: no
 Information given is based on data obtained from similar substances.

Acute inhalation toxicity

1-Tetradecene : Not classified due to data which are conclusive although insufficient for classification.
 Information given is based on data obtained from similar substances.

1-Hexadecene LC50: > 8.5 mg/Exposure time: 1 h
 Species: Rat
 Sex: male
 Test atmosphere: dust/mist

Acute dermal toxicity

1-Hexadecene : LD50: > 2020 mg/kg
 Species: Rabbit
 Sex: male and female
 Information given is based on data obtained from similar substances.

AlphaPlus® C14-16-18 Blend

Skin irritation : According to the classification criteria of the European Union, the product is not considered as being a skin irritant.
 Information refers to the main ingredient.

AlphaPlus® C14-16-18 Blend

Eye irritation : No eye irritation

Sensitization

1-Tetradecene : Did not cause sensitization on laboratory animals.

1-Hexadecene Did not cause sensitization on laboratory animals.

AlphaPlus® C14-16-18 Blend

Version 1.5

Revision Date 2017-06-23

1-Octadecene

Did not cause sensitization on laboratory animals.

Repeated dose toxicity

1-Hexadecene

: Species: Rat, Male and female
 Sex: Male and female
 Application Route: oral gavage
 Dose: 100, 500, or 1000 mg/kg/day
 Exposure time: 42- 51 days
 Number of exposures: Daily
 NOEL: 1000 mg/kg bw/day
 Method: OECD Guideline 422
 Information given is based on data obtained from similar substances.

Species: Rat, male
 Sex: male
 Application Route: oral gavage
 Dose: 10, 101, 1010, 3365 mg/kg/day
 Exposure time: 4 weeks
 Number of exposures: 7 days/week
 NOEL: 101 mg/kg bw/day
 Method: OECD Test Guideline 407
 Target Organs: Stomach
 Information given is based on data obtained from similar substances.

Species: Rat, female
 Sex: female
 Application Route: oral gavage
 Dose: 10, 101, 1010, 3365 mg/kg/day
 Exposure time: 4 weeks
 Number of exposures: 7 days/week
 NOEL: 1010 mg/kg bw/day
 Method: OECD Test Guideline 407
 Information given is based on data obtained from similar substances.

Species: Rat, Male and female
 Sex: Male and female
 Application Route: oral gavage
 Dose: 100, 500, 1000 mg/kg/day
 Exposure time: 13 weeks
 Number of exposures: 7 days/week
 NOEL: 1000 mg/kg bw/day
 Information given is based on data obtained from similar substances.

Species: Rat, Male and female
 Sex: Male and female
 Application Route: Inhalation
 Dose: 300, 1000, 3000 ppm
 Exposure time: 13 weeks
 Number of exposures: 6 hrs/day, 5 days/week
 NOEL: 3000 ppm
 Information given is based on data obtained from similar substances.

1-Octadecene

Species: rat (female)

AlphaPlus® C14-16-18 Blend

Version 1.5

Revision Date 2017-06-23

Application Route: oral gavage
 Dose: 0, 100, 500, 1000 mg/kg/d
 NOEL: 1.000 mg/kg
 Method: OECD Guideline 422
 Information given is based on data obtained from similar substances.

Reproductive toxicity

1-Tetradecene

: Species: Rat
 Sex: male
 Application Route: Oral diet
 Dose: 0, 100, 500, 1000 mg/kg
 Exposure time: 43-47 days
 Method: OECD Guideline 422
 NOAEL Parent: 1.000 mg/kg
 NOAEL F1: 1.000 mg/kg

Species: Rat
 Sex: female
 Application Route: Oral diet
 Dose: 0, 100, 500, 1000 mg/kg
 Exposure time: 46-47 days
 Method: OECD Guideline 422
 NOAEL Parent: 1.000 mg/kg
 NOAEL F1: 1.000 mg/kg

1-Hexadecene

Species: Rat
 Sex: female
 Application Route: oral gavage
 Dose: 100, 500, 1000 mg/kg/day
 Number of exposures: Daily
 Test period: 41 to 55 days
 Method: OECD Guideline 421
 NOAEL Parent: 1000 mg/kg bw/day
 NOAEL F1: 1000 mg/kg bw/day
 Information given is based on data obtained from similar substances.

Species: Rat
 Sex: male and female
 Application Route: oral gavage
 Dose: 100, 500, 1000 mg/kg/day
 Number of exposures: Daily
 Test period: 42- 51days
 Method: OECD Guideline 422
 NOAEL Parent: 1000 mg/kg bw/day
 NOAEL F1: 1000 mg/kg bw/day
 Information given is based on data obtained from similar substances.

1-Octadecene

Species: Rat
 Sex: male and female
 Application Route: oral gavage
 Dose: 0, 100, 500, 1000 mg/kg/d
 Method: OECD Guideline 421
 NOAEL Parent: 1.000 mg/kg
 NOAEL F1: 1.000 mg/kg
 Information given is based on data obtained from similar

AlphaPlus® C14-16-18 Blend

Version 1.5

Revision Date 2017-06-23

substances.

**AlphaPlus® C14-16-18 Blend
Aspiration toxicity**

: May be fatal if swallowed and enters airways.
Substances known to cause human aspiration toxicity hazards or to be regarded as if they cause human aspiration toxicity hazard.

CMR effects

1-Tetradecene : Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
Reproductive toxicity: No toxicity to reproduction

1-Hexadecene Carcinogenicity: Not classifiable as a human carcinogen.
Mutagenicity: Did not show mutagenic effects in animal experiments.
Teratogenicity: Did not show teratogenic effects in animal experiments.
Reproductive toxicity: No toxicity to reproduction

1-Octadecene Carcinogenicity: Not available
Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.
Teratogenicity: Not available
Reproductive toxicity: No toxicity to reproduction

**AlphaPlus® C14-16-18 Blend
Further information**

: Solvents may degrease the skin.

SECTION 12: Ecological information**Toxicity to fish**

1-Tetradecene : LL50: > 1.000 mg/l
Exposure time: 96 h
Species: Oncorhynchus mykiss (rainbow trout)
semi-static test Test substance: yes
Method: OECD Test Guideline 203
The product has low solubility in the test medium. An aqueous dispersion was tested.

1-Hexadecene LL50: > 1000 mg/L
Exposure time: 96 h
Species: Oncorhynchus mykiss (rainbow trout)
Method: OECD Test Guideline 203
The product has low solubility in the test medium. An aqueous dispersion was tested.

1-Octadecene LL50: > 1.000 mg/l
Exposure time: 96 h
Species: Oncorhynchus mykiss (rainbow trout)
Method: OECD Test Guideline 203
Information given is based on data obtained from similar substances.

AlphaPlus® C14-16-18 Blend

Version 1.5

Revision Date 2017-06-23

Toxicity to daphnia and other aquatic invertebrates

- 1-Tetradecene : EL50: > 1.000 mg/l
 Exposure time: 48 h
 Species: Daphnia magna (Water flea)
 Test substance: yes
 Method: OECD Test Guideline 202
 The product has low solubility in the test medium. An aqueous dispersion was tested.
- 1-Hexadecene EL50: < 1000 mg/L
 Exposure time: 48 h
 Species: Daphnia magna (Water flea)
 static test Method: OECD Test Guideline 202
 The product has low solubility in the test medium. An aqueous dispersion was tested.
- 1-Octadecene EL50: > 1.000 mg/l
 Exposure time: 48 h
 Species: Daphnia magna (Water flea)
 Method: OECD Test Guideline 202
 Information given is based on data obtained from similar substances.

Toxicity to algae

- 1-Tetradecene : EL50: > 1.000 mg/l
 Exposure time: 96 h
 Species: Selenastrum capricornutum (algae)
 static test Test substance: yes
 Method: OECD Test Guideline 201
 The product has low solubility in the test medium. An aqueous dispersion was tested.
- 1-Hexadecene EC50: > 1000 mg/L
 Exposure time: 72 h
 Species: Selenastrum capricornutum (algae)
 static test Method: OECD Test Guideline 201
 The product has low solubility in the test medium. An aqueous dispersion was tested.
- 1-Octadecene EC50: > 1.000 mg/l
 Exposure time: 72 h
 Species: Raphidocellus subcapitata (algae)
 Method: OECD Test Guideline 201
 Information given is based on data obtained from similar substances.

Toxicity to bacteria

- 1-Octadecene : NOEC: 3 mg/l
 Exposure time: 120 h
 Respiration inhibition

Elimination information (persistence and degradability)

Bioaccumulation

AlphaPlus® C14-16-18 Blend

Version 1.5

Revision Date 2017-06-23

1-Hexadecene : Due to the distribution coefficient n-octanol/water, accumulation in organisms is possible.

Biodegradability : Expected to be ultimately biodegradable

Ecotoxicology Assessment

Results of PBT assessment

1-Tetradecene : Non-classified PBT substance, Non-classified vPvB substance

1-Hexadecene : Non-classified PBT substance, Non-classified vPvB substance

1-Octadecene : Non-classified PBT substance, Non-classified vPvB substance

Additional ecological information : No data available

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Product : Do not dispose of waste into sewer. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

AlphaPlus® C14-16-18 Blend

Version 1.5

Revision Date 2017-06-23

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Other information	: OLEFINS (C13 +, all isomers), S.T. 2, Cat.Y
--------------------------	--

SECTION 15: Regulatory information**National legislation****Chemical Safety Assessment**

Ingredients	: tetradec-1-ene	A Chemical Safety Assessment has been carried out for this substance.	214-306-9
--------------------	------------------	---	-----------

Chemical Safety Assessment

	hexadec-1-ene		211-105-8
--	---------------	--	-----------

Chemical Safety Assessment

	octadec-1-ene	A Chemical Safety Assessment has been carried out for this substance.	204-012-9
--	---------------	---	-----------

Major Accident Hazard Legislation	: 96/82/EC	Update: 2003
	Directive 96/82/EC does not apply	

Water contaminating class (Germany)	: WGK 1 slightly water endangering
--	------------------------------------

Notification status

Europe REACH	: On the inventory, or in compliance with the inventory
United States of America (USA)	: On the inventory, or in compliance with the inventory

AlphaPlus® C14-16-18 Blend


Version 1.5

Revision Date 2017-06-23

TSCA	:	On the inventory, or in compliance with the inventory
Canada DSL	:	On the inventory, or in compliance with the inventory
Australia AICS	:	On the inventory, or in compliance with the inventory
New Zealand NZIoC	:	On the inventory, or in compliance with the inventory
Japan ENCS	:	On the inventory, or in compliance with the inventory
Korea KECI	:	On the inventory, or in compliance with the inventory
Philippines PICCS	:	On the inventory, or in compliance with the inventory
China IECSC	:	On the inventory, or in compliance with the inventory

SECTION 16: Other information

NFPA Classification : Health Hazard: 1
Fire Hazard: 1
Reactivity Hazard: 0

**Further information**

Legacy SDS Number : 6855

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic

AlphaPlus® C14-16-18 Blend

Version 1.5

Revision Date 2017-06-23

GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		

Full text of H-Statements referred to under sections 2 and 3.

H304

May be fatal if swallowed and enters airways.