



Alpha Olefin 30+

Version 1.22

Revision Date 2023-01-25

According to Regulation (EC) No. 1907/2006, Regulation (EC) No. 2020/878

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product information

Product Name : Alpha Olefin 30+

EC-No.Registration number

Chemical name	CAS-No. EC-No. Index No.	Legal Entity Registration number
Ethylene	74-85-1 200-815-3 601-010-00-3	Qatar Chemical Company LTD (Q-Chem) 01-2119462827-27-0002
Ethylene	74-85-1 200-815-3 601-010-00-3	Qatar Chemical Company LTD (Q-Chem) 01-2119462827-27-0018

1.2

Relevant identified uses of the substance or mixture and uses advised against

Relevant Identified Uses : Various Wax Applications
Supported

1.3

Details of the supplier of the safety data sheet

Company : Qatar Chemical Company LTD (QChem)
Amwal Tower, Omar Al Mukhtar St,
Al-Dafna (Zone 61)
PO Box 24646
Doha, Qatar

SDS Requests: (+974) 4484-7110
Technical Information: (+974) 4476-7145
Responsible Party: Product Safety Group
Email: MSDSInquiry@qchem.com.qa

Local : Muntajat B.V. (MBV OR)
19th Floor, Tower E, WTC The Hague
Prinses Margrietplantsoen 78-A, 2595 BR
The Hague, the Netherlands.
Tel: +31702055630
Email: info.netherlands@muntajatbv.com

1.4

Emergency telephone:

Health:

Alpha Olefin 30+

Version 1.22

Revision Date 2023-01-25

866.442.9628 (North America)
1.832.813.4984 (International)

Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)
Asia: CHEMWATCH (+612 9186 1132) China: 0532 8388 9090
Mexico CHEMTREC 01-800-681-9531 (24 hours)
South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600
Argentina: +(54)-1159839431
EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
Austria: VIZ +43 1 406 43 43 (24 hours/day, 7 days/week)
Belgium: 070 245 245 (24 hours/day, 7 days/week)
Bulgaria: +359 2 9154 233
Croatia: +3851 2348 342 (24 hours/day, 7 days/week)
Cyprus: 1401
Czech Republic: Toxicological Information Center +420 224 919 293, +420 224 915 402
Denmark: Danish Poison Center (Giftlinjen): +45 8212 1212
Estonia: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
Finland: 0800 147 111 09 471 977 (24 hours/day)
France: ORFILA number (INRS): + 33 (0) 1 45 42 59 59 (24 hours/day, 7 days/week)
Germany: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
Greece: (0030) 2107793777 (24 hours/day, 7 days/week)
Hungary: +36-80-201-199 (24 hours/day, 7 days/week)
Iceland: 543 2222 (24 hours/day, 7 days/week)
Ireland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
Italy: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
Latvia: State Fire and Rescue Service, phone number: 112; Toxicology and Sepsis Clinic
Poisoning and Drug Information Center, Hipokrāta 2, Riga, Latvia, LV-1038, phone number +371
67042473. (24 hours.)
Liechtenstein: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
Lithuania: +370 (85) 2362052
Luxembourg: (+352) 8002 5500 (24 hours/day, 7 days/week)
Malta: +356 2395 2000
The Netherlands: NVIC: +31 (0)88 755 8000
Norway: 22 59 13 00 (24 hours/day, 7 days/week)
Poland: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
Portugal: CIAV phone number: +351 800 250 250
Romania: +40213183606
Slovakia: +421 2 5477 4166
Slovenia: Phone number: 112
Spain: National Emergency Telephone Number of Spanish Poison Centre: +34 91 562 04 20 (24
hours/day, 7 days/week)
Sweden: 112 – ask for Poisons Information

Responsible Department : Product Safety and Toxicology Group
E-mail address : SDS@CPChem.com
Website : www.CPChem.com

SECTION 2: Hazards identification**2.1****Classification of the substance or mixture
REGULATION (EC) No 1272/2008**

Not a hazardous substance or mixture.

2.2**Labeling (REGULATION (EC) No 1272/2008)**

Alpha Olefin 30+

Version 1.22

Revision Date 2023-01-25

Not a hazardous substance or mixture.

2.3**Other hazards**

Results of PBT and vPvB assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients**3.1 - 3.2****Substance or Mixture**

Synonyms : C30+ Alpha Olefin Fraction
NAO C30+

Molecular formula : Polymer

Hazardous ingredients

Chemical name	CAS-No. EC-No. Index No.	Classification (REGULATION (EC) No 1272/2008)	Concentration [wt%]	Specific Conc. Limits, M-factors and ATEs
Alkenes, C24-54 Branched & Linear, Alpha	131459-42-2		100	

Contains no hazardous ingredients according to GHS. :

SECTION 4: First aid measures**4.1****Description of first-aid measures**

General advice : No hazards which require special first aid measures.

If inhaled : If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.

In case of eye contact : Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed**Notes to physician**

Symptoms : No data available.

Risks : No data available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No data available.

Alpha Olefin 30+

Version 1.22

Revision Date 2023-01-25

SECTION 5: Firefighting measures

Flash point : 232°C (450°F)
Method: PMCC

Autoignition temperature : 368°C (694°F)

5.1**Extinguishing media**

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2**Special hazards arising from the substance or mixture**

Specific hazards during fire fighting : Do not use a solid water stream as it may scatter and spread fire. Cool closed containers exposed to fire with water spray.

5.3**Advice for firefighters**

Special protective equipment for fire-fighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Fire and explosion protection : Provide appropriate exhaust ventilation at places where dust is formed.

SECTION 6: Accidental release measures**6.1****Personal precautions, protective equipment and emergency procedures**

Personal precautions : Avoid dust formation.

6.2**Environmental precautions**

Environmental precautions : Local authorities should be advised if significant spillages cannot be contained. No special environmental precautions required.

6.3**Methods and materials for containment and cleaning up**

Methods for cleaning up : Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4**Reference to other sections**

Reference to other sections : For personal protection see section 8. For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1****Precautions for safe handling
Handling**

Alpha Olefin 30+

Version 1.22

Revision Date 2023-01-25

Advice on safe handling : For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area.

Advice on protection against fire and explosion : Provide appropriate exhaust ventilation at places where dust is formed.

7.2**Conditions for safe storage, including any incompatibilities****Storage**

Requirements for storage areas and containers : Electrical installations / working materials must comply with the technological safety standards.

Advice on common storage : No materials to be especially mentioned.

SECTION 8: Exposure controls/personal protection**8.1****Control parameters
Ingredients with workplace control parameters****SE**

Beständsdelar	Grundval	Värde	Kontrollparametrar	Anmärkning
Alkenes, C24-54 Branched & Linear, Alpha	SE AFS	NGV	350 mg/m ³	
	SE AFS	KGV	500 mg/m ³	V,

V Vägledande kortidsgränsvärde ska användas som ett rekommenderat högsta värde som inte bör överskridas

NO

Komponenter	Grunnlag	Verdi	Kontrollparametrer	Nota
Alkenes, C24-54 Branched & Linear, Alpha	FOR-2011-12-06-1358	GV	40 ppm, 275 mg/m ³	

LT

Komponentai	Šaltinis	Vertė	Kontrolės parametrai	Pastaba
Alkenes, C24-54 Branched & Linear, Alpha	LT OEL	IPRD	350 mg/m ³	
	LT OEL	TPRD	500 mg/m ³	

EE

Komponendid, osad	Alused	Väärtus	Kontrolliparameetrid	Märkused
Alkenes, C24-54 Branched & Linear, Alpha	EE OEL	Piirnorm	350 mg/m ³	11,
	EE OEL	Lühiajalise kokkupuute piirnorm	500 mg/m ³	11,
	EE OEL	Piirnorm	5 mg/m ³	
	EE OEL	Piirnorm	5 mg/m ³	Aerosool
	EE OEL	Piirnorm	350 mg/m ³	Aur
	EE OEL	Lühiajalise kokkupuute piirnorm	500 mg/m ³	Aur

11 Süsivesinike piirnormid on arvatatud auru faasile. Üle 12 süsinikuaatomiga alifaatsetel süsivesinikel (tridekaanid ja kõrgemad) on 20 °C juures küllastussisaldus < 350 mg/m³. Aerosoolsete süsivesinike piirnorm on 5 mg/m³.

8.2**Exposure controls
Engineering measures**

Adequate ventilation to control airborne concentrations below the exposure guidelines/limits.

Alpha Olefin 30+

Version 1.22

Revision Date 2023-01-25

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

Personal protective equipment

- Respiratory protection : If ventilation or other engineering controls are not adequate to maintain minimal oxygen content of 19.5% by volume under normal atmospheric pressure, a supplied-air NIOSH approved respirator may be appropriate. If exposure to harmful levels of airborne material may occur, a NIOSH approved respirator that provides protection may be appropriate, such as: Air-Purifying Respirator for Dusts and Mists / P100. A positive pressure, air-supplying respirator may be appropriate if there is potential for uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators may not provide adequate protection.
- Hand protection : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
- Eye protection : Eye wash bottle with pure water. Safety glasses.
- Skin and body protection : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
- Hygiene measures : General industrial hygiene practice.

SECTION 9: Physical and chemical properties**9.1****Information on basic physical and chemical properties****Appearance**

- Form : Wax., solid
 Physical state : solid
 Color : White

Safety data

- Flash point : 232°C (450°F)
 Method: PMCC
- Lower explosion limit : No data available
- Upper explosion limit : No data available
- Oxidizing properties : no

Alpha Olefin 30+

Version 1.22

Revision Date 2023-01-25

Autoignition temperature	: 368°C (694°F)
Molecular formula	: Polymer
Molecular weight	: Not applicable
pH	: Not applicable
Pour point	: No data available
Boiling point/boiling range	: Not applicable
Vapor pressure	: No data available
Relative density	: 0,79 at 15,6 °C (60,1 °F)
Density	: 0,8 g/cm ³
Water solubility	: Soluble in hydrocarbon solvents; insoluble in water.
Partition coefficient: n-octanol/water	: No data available
Viscosity, kinematic	: 9 cSt at 99°C (210°F)
Relative vapor density	: Not applicable
Evaporation rate	: 1

SECTION 10: Stability and reactivity**10.1**

Reactivity : No decomposition if stored and applied as directed.

10.2

Chemical stability : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3**Possibility of hazardous reactions**

Hazardous reactions : Further information: Stable under recommended storage conditions., No hazards to be specially mentioned.

10.4

Conditions to avoid : No data available.

10.5

Alpha Olefin 30+

Version 1.22

Revision Date 2023-01-25

Materials to avoid	: May react with oxygen and strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.
10.6	
Other data	: No decomposition if stored and applied as directed.

SECTION 11: Toxicological information**11.1****Information on toxicological effects**

Alpha Olefin 30+ Acute oral toxicity	: LD50 Oral: > 2.000 mg/kg Species: Rat
Alpha Olefin 30+ Acute inhalation toxicity	: No adverse effects expected
Alpha Olefin 30+ Acute dermal toxicity	: LD50: > 2.000 mg/kg Species: Rat Information given is based on data obtained from similar substances.
Alpha Olefin 30+ Skin irritation	: No skin irritation. Information given is based on data obtained from similar substances.
Alpha Olefin 30+ Eye irritation	: No eye irritation. Information given is based on data obtained from similar substances.
Alpha Olefin 30+ Sensitization	: Did not cause sensitization on laboratory animals. Information given is based on data obtained from similar substances.
Alpha Olefin 30+ Repeated dose toxicity	: Not classified due to data which are conclusive although insufficient for classification.
Alpha Olefin 30+ Genotoxicity in vitro	: Remarks: Not classified due to data which are conclusive although insufficient for classification.
Alpha Olefin 30+ Genotoxicity in vivo	: Remarks: Not classified due to data which are conclusive although insufficient for classification.
Alpha Olefin 30+ Carcinogenicity	: Remarks: No evidence of carcinogenicity

Alpha Olefin 30+

SDS Number:100000066562

8/14

Alpha Olefin 30+

Version 1.22

Revision Date 2023-01-25

Reproductive toxicity : This information is not available.

**Alpha Olefin 30+
Developmental Toxicity** : This information is not available.

11.2**Information on other hazards**

**Alpha Olefin 30+
Further information** : No data available.
**Endocrine disrupting
properties** : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information**12.1****Toxicity****Ecotoxicity effects**

Toxicity to fish : Aquatic toxicity is unlikely due to low solubility.

**Toxicity to daphnia and
other aquatic invertebrates** : Aquatic toxicity is unlikely due to low solubility.

Toxicity to algae : Aquatic toxicity is unlikely due to low solubility.

12.2**Persistence and degradability**

Biodegradability : Expected to be ultimately biodegradable

12.3**Bioaccumulative potential**

Elimination information (persistence and degradability)

Bioaccumulation : This material is not expected to bioaccumulate.

12.4**Mobility in soil**

Mobility : No data available

12.5**Results of PBT and vPvB assessment**

Results of PBT assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6**Endocrine disrupting properties**

Alpha Olefin 30+

Version 1.22

Revision Date 2023-01-25

Endocrine disrupting properties : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7**Other adverse effects**

Additional ecological information : This material is not expected to be harmful to aquatic organisms.

12.8**Additional Information****Ecotoxicology Assessment**

Short-term (acute) aquatic hazard : This product has no known ecotoxicological effects.

Long-term (chronic) aquatic hazard : This product has no known ecotoxicological effects.

SECTION 13: Disposal considerations**13.1****Waste treatment methods**

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information**14.1 - 14.7****Transport information**

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

When shipment is offered for transport at or above 100°C it is regulated as:

Alpha Olefin 30+

Version 1.22

Revision Date 2023-01-25

UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+) , 9, III

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

When shipment is offered for transport at or above 100°C it is regulated as:

UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+) , 9, III (232°C)

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

When shipment is offered for transport at or above 100°C it is regulated as:

UN3257, 9: NOT PERMITTED FOR TRANSPORT

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

When shipment is offered for transport at or above 100°C it is regulated as:

UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+) , 9, III , (D)

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

When shipment is offered for transport at or above 100°C it is regulated as:

UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+) , 9, III

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

When shipment is offered for transport at or above 100°C it is regulated as:

UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S., (ALPHA OLEFIN FRACTION, C30+) , 9, III

Alpha Olefin 30+

Version 1.22

Revision Date 2023-01-25

Other information	: OLEFINS (C13 +, all isomers), S.T. 2, Cat.Y
--------------------------	--

Maritime transport in bulk according to IMO instruments**SECTION 15: Regulatory information****15.1****Safety, health and environmental regulations/legislation specific for the substance or mixture
National legislation**

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Water hazard class (Germany) : nwg not water endangering

15.2**Chemical Safety Assessment**

Components : ethylene 200-815-3

Major Accident Hazard Legislation : ZEU_SEVES3 Update:
Not applicable

Notification status

Europe REACH	:	This product is in full compliance according to REACH regulation 1907/2006/EC.
Switzerland CH INV	:	Not in compliance with the inventory
United States of America (USA) TSCA	:	On or in compliance with the active portion of the TSCA inventory
Canada DSL	:	All components of this product are on the Canadian DSL
Other AICS	:	Not in compliance with the inventory
New Zealand NZIoC	:	On the inventory, or in compliance with the inventory
Japan ENCS	:	On the inventory, or in compliance with the inventory
Korea KECI	:	A substance(s) in this product was not registered, notified to be registered, or exempted from registration by QChem according to K-REACH regulations. Importation or manufacture of this product is still permitted provided the Korean Importer of Record has themselves notified the substance or the exported amount does not exceed the minimum threshold quantity of the non-registered substance(s).
Philippines PICCS	:	On the inventory, or in compliance with the inventory
China IECSC	:	On the inventory, or in compliance with the inventory
Taiwan TCSI	:	On the inventory, or in compliance with the inventory


Alpha Olefin 30+

Version 1.22

Revision Date 2023-01-25

SECTION 16: Other information

NFPA Classification : Health Hazard: 0
Fire Hazard: 1
Reactivity Hazard: 0

**Further information**

Legacy SDS Number : QCHEM018

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AIIC	Australian Inventory of Industrial Chemicals	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and	TSCA	Toxic Substance Control Act

Alpha Olefin 30+

Version 1.22

Revision Date 2023-01-25

	New Chemical Substances		
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate