

**AlphaPlus® C24-28**

Version 1.9

Revision Date 2016-01-07

SECTION 1: Identification of the substance/mixture and of the company/undertaking**Product information**

Product Name : AlphaPlus® C24-28

Company: Qatar Chemical Company LTD (QChem)
Amwal Tower, Omar Al Mukhtar St,
Al-Dafna (Zone 61)
PO Box 24646
Doha, QatarSDS Requests: (+974) 4484-7110
Technical Information: (+974) 4477-0047
Responsible Party: Product Safety Group
Email: MSDSInquiry@qchem.com.qa**Emergency telephone:****Health:**866.442.9628 (North America)
1.832.813.4984 (International)**Transport:**CHEMTREC 1.800.424.9300 (within USA and Canada) or 703.527.3887 (outside USA and Canada)
Asia: +800 CHEMCALL (+800 2436 2255) China:+86-21-22157316
EUROPE: BIG +32.14.584545 (phone) or +32.14583516 (telefax)
South America SOS-Cotec Inside Brazil: 0800.111.767 Outside Brazil: +55.19.3467.1600Responsible Department : Product Safety and Toxicology Group
E-mail address : SDS@CPChem.com
Website : www.CPChem.com**SECTION 2: Hazards identification****Classification of the substance or mixture**

This product has been classified in accordance with the hazard communication standard 29 CFR 1910.1200; the SDS and labels contain all the information as required by the standard.

Emergency Overview

Form: Wax, Solid	Physical state: Solid	Color: White	Odor: No odor
OSHA Hazards	: No OSHA Hazards		

Classification

: Not a hazardous substance or mixture.

AlphaPlus® C24-28

Version 1.9

Revision Date 2016-01-07

Labeling

Not a hazardous substance or mixture.

Carcinogenicity:**IARC**

No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

ACGIH

No ingredient of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

SECTION 3: Composition/information on ingredients

Synonyms : C24-C28 Alpha Olefin Fraction
NAO 24-28

Molecular formula : UVCB

Component	CAS-No.	Weight %
Alpha Olefin Fraction, C24-28	93924-11-9	100

Contains no hazardous ingredients according to GHS.

SECTION 4: First aid measures

General advice : Do not leave the victim unattended.

If inhaled : If symptoms persist, call a physician.
If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.

In case of eye contact : Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult a specialist.

If swallowed : Keep respiratory tract clear. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.

SECTION 5: Firefighting measures

Flash point : 218 °C (424 °F)
Method: PMCC

Autoignition temperature : 249 °C (480 °F)

AlphaPlus® C24-28

Version 1.9

Revision Date 2016-01-07

- | | | |
|------------------------------------------------|---|------------------------------------------------------------------------------------------------------------------------------------------------|
| Special protective equipment for fire-fighters | : | Wear self-contained breathing apparatus for firefighting if necessary. |
| Further information | : | Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| Fire and explosion protection | : | Provide appropriate exhaust ventilation at places where dust is formed. |
| Hazardous decomposition products | : | Carbon oxides. |

SECTION 6: Accidental release measures

- | | | |
|-------------------------|---|----------------------------------------------------------------------------------------------------------------------------|
| Personal precautions | : | Avoid dust formation. |
| Methods for cleaning up | : | Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal. |

SECTION 7: Handling and storage**Handling**

- | | | |
|-------------------------------------------------|---|-------------------------------------------------------------------------------------------------------------------|
| Advice on safe handling | : | For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. |
| Advice on protection against fire and explosion | : | Provide appropriate exhaust ventilation at places where dust is formed. |

Storage

- | | | |
|-----------------------------------------------|---|---------------------------------------------------------------------------------------------------|
| Requirements for storage areas and containers | : | Electrical installations / working materials must comply with the technological safety standards. |
| Advice on common storage | : | No materials to be especially mentioned. |

SECTION 8: Exposure controls/personal protection**Personal protective equipment**

- | | | |
|--------------------------|---|-----------------------------------------------------------------|
| Respiratory protection | : | No personal respiratory protective equipment normally required. |
| Eye protection | : | Safety glasses. |
| Skin and body protection | : | Protective suit. |
| Hygiene measures | : | General industrial hygiene practice. |

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties**

SDS Number:100000067880

3/12

AlphaPlus® C24-28

Version 1.9

Revision Date 2016-01-07

Appearance

Form : Wax, Solid
Physical state : Solid
Color : White
Odor : No odor

Safety data

Flash point : 218 °C (424 °F)
Method: PMCC

Lower explosion limit : No data available

Upper explosion limit : No data available

Oxidizing properties : no

Autoignition temperature : 249 °C (480 °F)

Molecular formula : UVCB

Molecular weight : Varies

pH : Not applicable

Melting point/range : 63 °C (145 °F)
Method: ASTM D-87

Boiling point/boiling range : 390 - 430 °C (734 - 806 °F)

Vapor pressure : < 0.01 kPa
at 65 °C (149 °F)

Relative density : 0.82
at 15.6 °C (60.1 °F)

Density : 821 kg/m³
at 15 °C (59 °F)

799 kg/m³
at 50 °C (122 °F)

Water solubility : Soluble in hydrocarbon solvents; insoluble in water.

Partition coefficient: n-octanol/water : No data available

Viscosity, kinematic : 2.5 cSt
at 98.9 °C (210.0 °F)

Relative vapor density : 0.82
at 15.6 °C (60.1 °F)

Evaporation rate : Not applicable

AlphaPlus® C24-28

Version 1.9

Revision Date 2016-01-07

SECTION 10: Stability and reactivity

Chemical stability : This material is considered stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

Possibility of hazardous reactions

Conditions to avoid : No data available.

Materials to avoid : May react with oxygen and strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.

Hazardous decomposition products : Carbon oxides

Other data : No decomposition if stored and applied as directed.

SECTION 11: Toxicological information**Acute oral toxicity**

Alpha Olefin Fraction, C24-28 : LD50: >5000 mg/kg
Species: Rat
Information given is based on data obtained from similar substances.

LD50: > 2000 - < 5000 mg/kg
Species: Rat
Information given is based on data obtained from similar substances.

Acute inhalation toxicity

Alpha Olefin Fraction, C24-28 : LC50: > 2.1 mg/LExposure time: 4 h
Species: Rat
Sex: male and female
Test atmosphere: vapor
Method: OECD Test Guideline 403
Information given is based on data obtained from similar substances.

LC50: 110.1 mg/LExposure time: 4 h
Species: Rat
Test atmosphere: vapor
Method: OECD Test Guideline 403
Information given is based on data obtained from similar substances.

LC50: > 8.5 mg/LExposure time: 1 h
Species: Rat
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Information given is based on data obtained from similar substances.

AlphaPlus® C24-28

Version 1.9

Revision Date 2016-01-07

Acute dermal toxicity

Alpha Olefin Fraction, C24-28 : LD50: > 2020 mg/kg
Species: Rabbit
Method: OECD Test Guideline 402
Information given is based on data obtained from similar substances.

Skin irritation

Alpha Olefin Fraction, C24-28 : No skin irritation
Information given is based on data obtained from similar substances.

Eye irritation

Alpha Olefin Fraction, C24-28 : No eye irritation
Information given is based on data obtained from similar substances.

Sensitization

Alpha Olefin Fraction, C24-28 : Did not cause sensitization on laboratory animals.
Information given is based on data obtained from similar substances.

Repeated dose toxicity

Alpha Olefin Fraction, C24-28 : Species: Rat, Male and female
Sex: Male and female
Application Route: oral gavage
Dose: 100, 500, 1000 mg/kg/day
Exposure time: 13 weeks
Number of exposures: 7 d/wk
NOEL: 1000 mg/kg bw/day

Species: Rat, Male and female
Sex: Male and female
Application Route: Inhalation
Dose: 300, 1000, 3000 ppm
Exposure time: 13 weeks
Number of exposures: 6 hrs/d, 5 d/wk
NOEL: 3000 ppm

Reproductive toxicity

Alpha Olefin Fraction, C24-28 : Species: Rat
Sex: male and female
Application Route: oral gavage
Dose: 100, 500, 1000 mg/kg/day
Number of exposures: Daily
Test period: 41 to 55 days
Method: OECD Guideline 421
NOAEL Parent: 1000 mg/kg/day
NOAEL F1: 1000 mg/kg/day

AlphaPlus® C24-28

Version 1.9

Revision Date 2016-01-07

Species: Rat
 Sex: male and female
 Application Route: oral gavage
 Dose: 100, 500, 1000 mg/kg/day
 Number of exposures: Daily
 Test period: 42- 51 days
 Method: OECD Guideline 422
 NOAEL Parent: 1000 mg/kg/day
 NOAEL F1: 1000 mg/kg/day

**AlphaPlus® C24-28
Aspiration toxicity**

: No aspiration toxicity classification.

CMR effects

Alpha Olefin Fraction, C24-28

: Carcinogenicity: Not classifiable as a human carcinogen.
 Mutagenicity: Did not show mutagenic effects in animal experiments.
 Teratogenicity: Did not show teratogenic effects in animal experiments.
 Reproductive toxicity: No toxicity to reproduction

**AlphaPlus® C24-28
Further information**

: No data available.

SECTION 12: Ecological information**Toxicity to fish**

Alpha Olefin Fraction, C24-28

: LL50: > 1000 mg/l
 Exposure time: 96 h
 Species: Oncorhynchus mykiss (rainbow trout)
 Method: OECD Test Guideline 203
 Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates

Alpha Olefin Fraction, C24-28

: EL100: 1000 mg/l
 Exposure time: 48 h
 Species: Daphnia magna (Water flea)
 Method: OECD Test Guideline 202
 Information given is based on data obtained from similar substances.

Toxicity to algae

Alpha Olefin Fraction, C24-28

: EL50: >1000 mg/l
 Exposure time: 72 h
 Species: Selenastrum capricornutum (algae)
 Method: OECD Test Guideline 201
 Information given is based on data obtained from similar substances.

AlphaPlus® C24-28

Version 1.9

Revision Date 2016-01-07

Bioaccumulation

Alpha Olefin Fraction, C24-28 : This material is not expected to bioaccumulate.

Biodegradability

Alpha Olefin Fraction, C24-28 : This material is not expected to be readily biodegradable.

Ecotoxicology Assessment**Results of PBT assessment**

Alpha Olefin Fraction, C24-28 : Non-classified PBT substance, Non-classified vPvB substance

Additional ecological information : This material is not expected to be harmful to aquatic organisms.

SECTION 13: Disposal considerations

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

When shipment is offered for transport above 100°C it is regulated as:

UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S.,(ALPHA OLEFIN FRACTION, C24-28), 9, III

IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

AlphaPlus® C24-28

Version 1.9

Revision Date 2016-01-07

When shipment is offered for transport above 100°C it is regulated as:

UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S.,(ALPHA OLEFIN FRACTION, C24-28), 9, III (218°C)

IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

When shipment is offered for transport above 100°C it is regulated as:

UN3257, 9: NOT PERMITTED FOR TRANSPORT

ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

When shipment is offered for transport above 100°C it is regulated as:

UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S.,(ALPHA OLEFIN FRACTION, C24-28), 9, III, (D)

RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

When shipment is offered for transport above 100°C it is regulated as:

UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S.,(ALPHA OLEFIN FRACTION, C24-28), 9, III

ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

When shipment is offered for transport above 100°C it is regulated as:

UN3257, ELEVATED TEMPERATURE LIQUID, N.O.S.,(ALPHA OLEFIN FRACTION, C24-28), 9, III

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information**National legislation**

AlphaPlus® C24-28

Version 1.9

Revision Date 2016-01-07

SARA 311/312 Hazards : No SARA Hazards**EPCRA - EMERGENCY PLANNING COMMUNITY RIGHT - TO - KNOW**

CERCLA Reportable Quantity : This material does not contain any components with a CERCLA RQ.

SARA 302 Reportable Quantity : This material does not contain any components with a SARA 302 RQ.

SARA 302 Threshold Planning Quantity : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 304 Reportable Quantity : This material does not contain any components with a section 304 EHS RQ.

SARA 313 Ingredients : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

Ozone-Depletion Potential : This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM Intermediate or Final VOC's (40 CFR 60.489).

US State Regulations

Pennsylvania Right To Know : No components are subject to the Pennsylvania Right to Know Act.

AlphaPlus® C24-28

Version 1.9

Revision Date 2016-01-07

New Jersey Right To Know

: No components are subject to the New Jersey Right to Know Act.

**California Prop. 65
Ingredients**

: This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

Notification status

Europe REACH : This mixture contains only ingredients which have been registered according to Regulation (EU) No. 1907/2006 (REACH).

Switzerland CH INV : On the inventory, or in compliance with the inventory

United States of America TSCA : On the inventory, or in compliance with the inventory

Canada DSL : On the inventory, or in compliance with the inventory

Australia AICS : Not in compliance with the inventory


New Zealand NZIoC : On the inventory, or in compliance with the inventory

Japan ENCS : On the inventory, or in compliance with the inventory

Korea KECI : On the inventory, or in compliance with the inventory

Philippines PICCS : On the inventory, or in compliance with the inventory

China IECSC : On the inventory, or in compliance with the inventory

SECTION 16: Other information**NFPA Classification**: Health Hazard: 0
Fire Hazard: 1
Reactivity Hazard: 0**Further information**

Legacy SDS Number : QCHEM017

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet

AlphaPlus® C24-28

Version 1.9

Revision Date 2016-01-07

ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		