

## Lotrène® Q 3802

Version 1.6 Revision Date 2023-04-05

According to Regulation (EC) No. 1907/2006, Regulation (EC) No. 2020/878

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

#### **Product information**

Product Name : Lotrène® Q 3802

Material : 1118643, 1118642, 1118641, 1118640, 1118607, 1118590,

1118589, 1118588

## EC-No.Registration number

Chemical name	CAS-No.	Legal Entity
	EC-No.	Registration number
	Index No.	
Ethylene	74-85-1	Qatar Chemical Company LTD (Q-Chem)
	200-815-3	01-2119462827-27-XXXX
	601-010-00-3	
1-Hexene	592-41-6	Qatar Chemical Company LTD (Q-Chem)
	209-753-1	01-2119475505-34-XXXX

 $1.\overline{2}$ 

1.3

## Relevant identified uses of the substance or mixture and uses advised against

Relevant Identified Uses

Supported

: Manufacture of plastics products

## Details of the supplier of the safety data sheet

Company : Qatar Chemical Company LTD (QChem)

Amwal Tower, Omar Al Mukhtar St,

Al-Dafna (Zone 61) PO Box 24646 Doha, Qatar

SDS Requests: (+974) 4484-7110
Technical Information: (+974) 4476-7145
Responsible Party: Product Safety Group
Email: MSDSInquiry@qchem.com.qa

Local : Muntajat B.V. (MBV OR)

19th Floor, Tower E, WTC The Hague Prinses Margrietplantsoen 78-A, 2595 BR

The Hague, the Netherlands.

Tel: +31702055630

Email: info.netherlands@muntajatbv.com

1.4

## **Emergency telephone:**

SDS Number:100000102484 1/13

## Lotrène® Q 3802

Version 1.6 Revision Date 2023-04-05

#### Health:

866.442.9628 (North America) 1.832.813.4984 (International)

#### Transport:

CHEMTREC 800.424.9300 or 703.527.3887(int'l)

MEDICAL APPLICATION CAUTION: Do not use this Qatar Chemical Company LTD material in medical applications involving permanent implantation in the human body or permanent contact with internal body fluids or tissues fluids or tissues.

Do not use this Qatar Chemical Company LTD material in medical applications involving brief or temporary implantation in the human body or contact with internal body fluids or tissues unless the material has been provided directly from Qatar Chemical Company LTD under an agreement which expressly acknowledges the contemplated use.

Qatar Chemical Company LTD makes no representation, promise, express warranty or implied warranty concerning the suitability of this material for use in implantation in the human body or in contact with internal body fluids or tissues.

#### **SECTION 2: Hazards identification**

#### 2.1

## Classification of the substance or mixture REGULATION (EC) No 1272/2008

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

#### 2.2

#### Labeling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.

### 2.3

#### Other hazards

Results of PBT and vPvB

assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1%

or higher.

Endocrine disrupting

properties

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 - 3.2

#### **Substance or Mixture**

## **Hazardous ingredients**

Chemical name	CAS-No.	Classification	Concentration	Specific Conc.
	EC-No.	(REGULATION (EC)	[wt%]	Limits, M-factors

SDS Number:100000102484 2/13

## Lotrène® Q 3802

Version 1.6 Revision Date 2023-04-05

	Index No.	No 1272/2008)		and ATEs
Polyethylene Hexene Copolymer	25213-02-9		99 - 100	

Contains no hazardous ingredients according to GHS.:

#### **SECTION 4: First aid measures**

## 4.1

### **Description of first-aid measures**

If inhaled : Move to fresh air in case of accidental inhalation of dust or

fumes from overheating or combustion. If symptoms persist,

call a physician.

In case of skin contact : If the molten material gets on skin, quickly cool in water. Seek

> immediate medical attention. Do not try to peel the solidified material from the skin or use solvents or thinners to dissolve it.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

If swallowed : Do not induce vomiting without medical advice.

## 4.2 Most important symptoms and effects, both acute and delayed Notes to physician

: No data available. **Symptoms** 

Risks : No data available.

4.3 Indication of any immediate medical attention and special treatment needed

**Treatment** : No data available.

#### **SECTION 5: Firefighting measures**

Flash point : No data available

Autoignition temperature : No data available

5.1

## **Extinguishing media**

Suitable extinguishing

media

: Water. Water mist. Dry chemical. Carbon dioxide (CO2). Foam. If possible, water should be applied as a spray from a fogging nozzle since this is a surface burning material. The application of high velocity water will spread the burning surface layer. Avoid the use of straight streams that may create a dust cloud and the risk of a dust explosion. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2

#### Special hazards arising from the substance or mixture

fighting

Specific hazards during fire : Risks of ignition followed by flame propagation or secondary explosions can be caused by the accumulation of dust, e.g. on

floors and ledges.

SDS Number:100000102484 3/13

## Lotrène® Q 3802

Version 1.6 Revision Date 2023-04-05

5.3

Advice for firefighters

Special protective equipment for fire-fighters

: Use personal protective equipment. Wear self-contained

breathing apparatus for firefighting if necessary.

Further information : This material will burn although it is not easily ignited.

Fire and explosion

protection

: Treat as a solid that can burn. Avoid generating dust; fine dust

dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion

hazard.

Hazardous decomposition

products

Normal combustion forms carbon dioxide, water vapor and may

produce carbon monoxide, other hydrocarbons and

hydrocarbon oxidation products (ketones, aldehydes, organic acids) depending on temperature and air availability.

Incomplete combustion can also produce formaldehyde.

#### **SECTION 6: Accidental release measures**

6.1

#### Personal precautions, protective equipment and emergency procedures

Personal precautions : Sweep up to prevent slipping hazard. Avoid breathing dust.

Avoid dust formation.

6.2

**Environmental precautions** 

Environmental precautions : Do not contaminate surface water. Prevent product from

entering drains.

6.3

Methods and materials for containment and cleaning up

Methods for cleaning up : Clean up promptly by sweeping or vacuum.

Additional advice : Dust deposits should not be allowed to accumulate on

surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with

compressed air).

6.4

Reference to other sections

Reference to other sections : For personal protection see section 8. For disposal

considerations see section 13.

#### **SECTION 7: Handling and storage**

7.1

## Precautions for safe handling Handling

Advice on safe handling : Use good housekeeping for safe handling of the product. Keep

out of water sources and sewers. Spilled pellets may create a

slipping hazard.

Electrostatic charge may accumulate and create a hazardous condition when handling this material. To minimize this hazard, bonding and grounding may be necessary, but may not by

SDS Number:100000102484 4/13

## Lotrène® Q 3802

Version 1.6 Revision Date 2023-04-05

themselves be sufficient. At elevated temperatures (>350°F, >177°C), polyethylene can release vapors and gases, which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. These substances may include acetaldehyde, acetone, acetic acid, formic acid, formaldehyde and acrolein. Based on animal data and limited epidemiological evidence, formaldehyde has been listed as a carcinogen. Following all recommendations within this SDS should minimize exposure to thermal processing emissions.

Advice on protection against fire and explosion

Treat as a solid that can burn. Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.

7.2

## Conditions for safe storage, including any incompatibilities

#### **Storage**

Requirements for storage areas and containers

: Keep in a dry place. Keep in a well-ventilated place.

Advice on common storage

Do not store together with oxidizing and self-igniting products.

German storage class

Combustible Solids

7.3

**Specific End Use** 

Use : Manufacture of plastics products

## SECTION 8: Exposure controls/personal protection

#### 8.2

## Exposure controls Engineering measures

Consider the potential hazards of this material (see Section 2), applicable exposure limits, job activities, and other substances in the work place when designing engineering controls and selecting personal protective equipment. If engineering controls or work practices are not adequate to prevent exposure to harmful levels of this material, the personal protective equipment listed below is recommended. The user should read and understand all instructions and limitations supplied with the equipment since protection is usually provided for a limited time or under certain circumstances.

#### Personal protective equipment

Respiratory protection : No respiratory protection is normally required. If heated

material generates vapor or fumes that are not adequately controlled by ventilation, wear an appropriate respirator. Use the following elements for air-purifying respirators: Organic Vapor and Formaldehyde. A positive pressure, air-supplying respirator may be appropriate if there is potential for

uncontrolled release, aerosolization, exposure levels are not known, or other circumstances where air-purifying respirators

may not provide adequate protection.

Dust safety masks are recommended when the dust

SDS Number:100000102484 5/13

## Lotrène® Q 3802

Version 1.6 Revision Date 2023-04-05

concentration is excessive.

Eye protection : Use of safety glasses with side shields for solid handling is

> good industrial practice. If this material is heated, wear chemical goggles or safety glasses with side shields or a face shield. If there is potential for dust, use chemical goggles.

Skin and body protection : At ambient temperatures use of clean and protective clothing is

> good industrial practice. If the material is heated or molten, wear thermally insulated, heat-resistant gloves that are able to withstand the temperature of the molten product. If this material is heated, wear insulated clothing to prevent skin contact if engineering controls or work practices are not

adequate.

## **SECTION 9: Physical and chemical properties**

#### 9.1

#### Information on basic physical and chemical properties

## **Appearance**

: Pellets Form Physical state solid Color : Opaque Odor : Mild to no odor Odor Threshold : No data available

Safety data

: No data available Flash point

Lower explosion limit : Not applicable

Upper explosion limit : Not applicable

: No data available Autoignition temperature

Thermal decomposition : Low molecular weight hydrocarbons, alcohols, aldehydes,

acids and ketones can be formed during thermal processing.

рΗ : Not applicable

Melting point/range : 90-140°C (194-284°F)

Freezing point Not applicable

Initial boiling point and boiling : Not applicable

Vapor pressure : Not applicable

Relative density : Not applicable

Density : 0,91 - 0,97 g/cm3

> Please refer to the Technical Data Sheet (TDS) for more detailed information relating to the nominal physical

SDS Number:100000102484 6/13

## Lotrène® Q 3802

Version 1.6 Revision Date 2023-04-05

properties, including density, of this polyethylene resin grade.

Water solubility : negligible

Partition coefficient: n-

octanol/water

: No data available

Solubility in other solvents :

: No data available

Viscosity, dynamic : Not applicable

Viscosity, kinematic : Not applicable

Relative vapor density : Not applicable

Evaporation rate : Not applicable

9.2

Other information

Conductivity : No data available

## **SECTION 10: Stability and reactivity**

10.1

**Reactivity**: This material is considered non-reactive under normal

ambient and anticipated storage and handling conditions of

temperature and pressure.

10.2

Chemical stability : This material is considered stable under normal ambient and

anticipated storage and handling conditions of temperature

and pressure.

10.3

Possibility of hazardous reactions

10.4

**Conditions to avoid** : Avoid prolonged storage at elevated temperature.

10.5

Materials to avoid : Avoid contact with strong oxidizing agents.

**Thermal decomposition**: Low molecular weight hydrocarbons, alcohols, aldehydes,

acids and ketones can be formed during thermal processing.

10.6

**Hazardous decomposition** 

products

: Normal combustion forms carbon dioxide, water vapor and may produce carbon monoxide, other hydrocarbons and

hydrocarbon oxidation products (ketones, aldehydes, organic acids) depending on temperature and air availability.

acids) depending on temperature and air availability. Incomplete combustion can also produce formaldehyde.

Other data : No decomposition if stored and applied as directed.

SDS Number:100000102484 7/13

## Lotrène® Q 3802

Version 1.6 Revision Date 2023-04-05

## **SECTION 11: Toxicological information**

#### 11.1

Information on toxicological effects

Lotrène® Q 3802

Acute oral toxicity : Presumed Not Toxic

Lotrène® Q 3802

Acute inhalation toxicity : Presumed Not Toxic

Lotrène® Q 3802

Acute dermal toxicity : Presumed Not Toxic

Lotrène® Q 3802

**Skin irritation** : No skin irritation

Lotrène® Q 3802

**Eye irritation** : No eye irritation

Lotrène® Q 3802

**Sensitization** : Did not cause sensitization on laboratory animals.

**Toxicology Assessment** 

Lotrène® Q 3802

Specific Target Organ : Remarks: No adverse effects expected Toxicity (Single Exposure)

Lotrène® Q 3802

Specific Target Organ

**Toxicity (Repeated** 

Exposure)

: Remarks: No adverse effects expected

Lotrène® Q 3802

CMR effects : Carcinogenicity:

No adverse effects expected

Mutagenicity:

No adverse effects expected Reproductive toxicity:

No adverse effects expected

11.2

Information on other hazards

Lotrène® Q 3802

Further information : This product contains POLYMERIZED OLEFINS. During

thermal processing (>350°F, >177°C) polyolefins can release vapors and gases (aldehydes,ketones and organic acids) which are irritating to the mucous membranes of the eyes, mouth, throat, and lungs. Generally these irritant effects are all transitory. However, prolonged exposure to irritating off-gases

SDS Number:100000102484 8/13

## Lotrène® Q 3802

Version 1.6 Revision Date 2023-04-05

> can lead to pulmonary edema. Formaldehyde (an aldehyde) has been classified as a carcinogen based on animal data and

limited epidemiological evidence.

Endocrine disrupting

properties

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 12: Ecological information**

#### 12.1

**Toxicity** 

#### **Ecotoxicity effects**

Toxicity to fish : Not a hazardous substance or mixture.

#### 12.2

#### Persistence and degradability

Biodegradability : This material is not expected to be readily biodegradable.

#### 12.3

#### Bioaccumulative potential

Elimination information (persistence and degradability)

Bioaccumulation : Does not bioaccumulate.

#### 12.4

#### Mobility in soil

: The product is insoluble and floats on water. Mobility

#### 12.5

#### Results of PBT and vPvB assessment

Results of PBT assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

## 12.6

### **Endocrine disrupting properties**

Endocrine disrupting

properties

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

### 12.7

#### Other adverse effects

Additional ecological information

: This material is not expected to be harmful to aquatic organisms., Fish or birds may eat pellets which may obstruct

SDS Number:100000102484 9/13

## Lotrène® Q 3802

Version 1.6 Revision Date 2023-04-05

their digestive tracts.

12.8

#### **Additional Information**

## **Ecotoxicology Assessment**

Short-term (acute) aquatic

hazard

: This material is not expected to be harmful to aquatic

organisms.

Long-term (chronic) aquatic

hazard

: This material is not expected to be harmful to aquatic

organisms.

#### **SECTION 13: Disposal considerations**

#### 13.1

#### Waste treatment methods

The information in this SDS pertains only to the product as shipped.

Use material for its intended purpose or recycle if possible. This material, if it must be discarded, may meet the criteria of a hazardous waste as defined by US EPA under RCRA (40 CFR 261) or other State and local regulations. Measurement of certain physical properties and analysis for regulated components may be necessary to make a correct determination. If this material is classified as a hazardous waste, federal law requires disposal at a licensed hazardous waste disposal facility.

## **SECTION 14: Transport information**

#### 14.1 - 14.7

#### **Transport information**

The shipping descriptions shown here are for bulk shipments only, and may not apply to shipments in non-bulk packages (see regulatory definition).

Consult the appropriate domestic or international mode-specific and quantity-specific Dangerous Goods Regulations for additional shipping description requirements (e.g., technical name or names, etc.) Therefore, the information shown here, may not always agree with the bill of lading shipping description for the material. Flashpoints for the material may vary slightly between the SDS and the bill of lading.

#### **US DOT (UNITED STATES DEPARTMENT OF TRANSPORTATION)**

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

## IMO / IMDG (INTERNATIONAL MARITIME DANGEROUS GOODS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

#### IATA (INTERNATIONAL AIR TRANSPORT ASSOCIATION)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

### ADR (AGREEMENT ON DANGEROUS GOODS BY ROAD (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

SDS Number:100000102484 10/13

## Lotrène® Q 3802

Version 1.6 Revision Date 2023-04-05

# RID (REGULATIONS CONCERNING THE INTERNATIONAL TRANSPORT OF DANGEROUS GOODS (EUROPE))

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

# ADN (EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY INLAND WATERWAYS)

NOT REGULATED AS A HAZARDOUS MATERIAL OR DANGEROUS GOODS FOR TRANSPORTATION BY THIS AGENCY.

Maritime transport in bulk according to IMO instruments

## **SECTION 15: Regulatory information**

15.1

## Safety, health and environmental regulations/legislation specific for the substance or mixture National legislation

Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Water hazard class

(Germany)

: nwg not water endangering

15.2

Major Accident Hazard: 96/82/ECUpdate: 2003LegislationDirective 96/82/EC does not apply

**Notification status** 

Europe REACH : This product is in full compliance according to REACH

regulation 1907/2006/EC.

Switzerland CH INV : On the inventory, or in compliance with the inventory

United States of America (USA) : On or in compliance with the active portion of the

TSCA TSCA inventory

Canada DSL : All components of this product are on the Canadian

Other AICS : On the inventory, or in compliance with the inventory

New Zealand NZIoC : On the inventory, or in compliance with the inventory Japan ENCS : On the inventory, or in compliance with the inventory Korea KECI : All substances in this product were registered, notified

to be registered, or exempted from registration by QChem through an Only Representative according to K-REACH regulations. Importation of this product is permitted if the Korean Importer of Record was included on QChem's notifications or if the Importer of

Record themselves notified the substances.

Philippines PICCS : On the inventory, or in compliance with the inventory

SDS Number:100000102484 11/13

## Lotrène® Q 3802

Version 1.6 Revision Date 2023-04-05

China IECSC : On the inventory, or in compliance with the inventory Taiwan TCSI : On the inventory, or in compliance with the inventory

#### **SECTION 16: Other information**

NFPA Classification : Health Hazard: 0

Fire Hazard: 1 Reactivity Hazard: 0



#### **Further information**

Significant changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information in this SDS pertains only to the product as shipped.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Key or legend to abbreviations and acronyms used in the safety data sheet				
ACGIH	American Conference of	LD50	Lethal Dose 50%	
	Government Industrial Hygienists			
AIIC	Australian Inventory of Industrial	LOAEL	Lowest Observed Adverse Effect	
	Chemicals		Level	
DSL	Canada, Domestic Substances	NFPA	National Fire Protection Agency	
	List			
NDSL	Canada, Non-Domestic	NIOSH	National Institute for Occupational	
	Substances List		Safety & Health	
CNS	Central Nervous System	NTP	National Toxicology Program	
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of	
			Chemicals	
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect	
			Level	
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration	
EGEST	EOSCA Generic Exposure	OSHA	Occupational Safety & Health	
	Scenario Tool		Administration	
EOSCA	European Oilfield Specialty	PEL	Permissible Exposure Limit	
	Chemicals Association			
EINECS	European Inventory of Existing	PICCS	Philippines Inventory of	
	Chemical Substances		Commercial Chemical Substances	
MAK	Germany Maximum Concentration	PRNT	Presumed Not Toxic	
0110	Values	D0D4		
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery	
	O	OTEL	Act	
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit	
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and	
IABO		T1.) (	Reauthorization Act.	
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value	
IECSC	Inventory of Existing Chemical	TWA	Time Weighted Average	
12000	Substances in China	1 4 4 7	Time Weighted Average	
ENCS	Japan, Inventory of Existing and	TSCA	Toxic Substance Control Act	
	capally involvery or Exicting and		. C Cabotanio Control / tot	

SDS Number:100000102484 12/13

## Lotrène® Q 3802

Version 1.6 Revision Date 2023-04-05

	New Chemical Substances		
KECI	Korea, Existing Chemical	UVCB	Unknown or Variable Composition,
	Inventory		Complex Reaction Products, and
			Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials
	•		Information System
LC50	Lethal Concentration 50%	ATE	Acute toxicity estimate

SDS Number:100000102484 13/13